

**Search Result 28 f 30**[◀ back](#) [next ▶](#)

PAJ 00-07-76 02160047 JP **CATALYST FOR OXIDATION DECOMPOSITION OF AMMONIA**

INVENTOR(S)- TSUTOMU, SHIKADA; MINORU, ASANUMA; TAKAO, IKARIYA

PATENT APPLICATION NUMBER- 63315058

DATE FILED- 1988-12-15

PUBLICATION NUMBER- 02160047 JP

DOCUMENT TYPE- A

PUBLICATION DATE- 1990-06-20

INTERNATIONAL PATENT CLASS- B01J02372; B01J02384

APPLICANT(S)- NKK CORP

PUBLICATION COUNTRY- Japan NDN- 190-0042-0646-1

PURPOSE: To obtain a catalyst which converts high concn. ammonia into nitrogen with high efficiency by supporting copper oxide and/or vanadium oxide on a carrier obtd. by depositing titania in the pores in alumina. **CONSTITUTION:** Titania is deposited in the pores in uniformly granulated alumina, e.g. by impregnating an aq. titanium salt soln. into the alumina to obtain a carrier. Copper oxide such as CuO or Cu(sub)2(end sub)O and/or vanadium oxide such as V(sub)2(end sub)O(sub)5(end sub) or V(sub)2(end sub)O(sub)4(end sub) is supported on the carrier. The resulting catalyst for oxidation decomposition of ammonia converts high concn. ammonia into nitrogen with high efficiency and controls the generation of NOx. **COPYRIGHT:** (C)1990,JPO&Japio

NO-DESCRIPTORS

[back to top](#)

Copyright Fee: \$ 0.00

Document Price: \$ 13.50

Total: \$ 13.50*

* If this item is not available from our original source at the price quoted you will be notified
Shipping by US 1st Class Mail or eDoc is free of charge.

Nerac, Inc. One Technology Drive . Tolland, CT
Phone (860) 872-7000 . Fax (860) 875-1749
©1995-2003 All Rights Reserved.